250 CONE
250CONE, 250CONEL


DESCRIPTION / DESCRIZIONE

en **250 Cone is a table characterized by a conical base in powder coated steel, ideal for offices, restaurants and residential contexts. The top and the base feature a geometry that generates a sculptural element for interiors with the most varied formal expressions. The wide range of colours and finishes allows multiple combinations.**

it 250 Cone è un tavolo fisso, caratterizzato da una base conica in acciaio verniciato, ideale per uffici, ristoranti e contesti residenziali. L'incontro di geometrie fra piano e supporto genera un elemento scultoreo per interni, dalle più variegate espressioni formali. L'ampia gamma di colori e finiture permette la personalizzazione dell'intera collezione in molteplici combinazioni.

250 CONE
fixed table
tavolo fisso


250CONE



top
Ø 1400 - 1600 mm

250 CONE LARGE
fixed table
tavolo fisso


250CONEL



top
2600 - 3000 mm x 1400 - 1600 mm

version with FSC ® certified
versione con piano certificato FSC ®

INCLUDED ACCESSORIES / ACCESSORI INCLUSI



foot levelers
piedini livellatori

MARA SRL | Via Adua 11, 25050 Passirano (BS) Italy | T. +39 030 6857568 | marasrl.it

REV052025

250 CONE
250CONE, 250CONEL

ACCESSORIES / ACCESSORI

PASD60



multifunctional sockets
Ø 60 mm
prese multifunzione
Ø 60 mm

PASD80



multifunctional sockets
with wireless charging
Ø 80 mm
prese multifunzione con
ricarica wireless Ø 80 mm

511PLUS



top access with flip cover
passacavi con sportello

only for (250CONEL)

511EPLUS



top access with
multifunctional sockets
passacavi con prese
multifunzione

only for (250CONEL)

FRAME / STRUTTURA

powder coated steel
acciaio verniciato

296
textured
raggrinzato
RAL 9010

819
textured
raggrinzato
RAL 8019

420
textured
raggrinzato

333
textured
raggrinzato
RAL 3003

111
textured
raggrinzato
RAL 5011

203
textured
raggrinzato
RAL 6003

700
textured
raggrinzato
RAL 7000

444
textured
raggrinzato
RAL 8004

301
textured
raggrinzato
RAL 7044

131
textured
raggrinzato
RAL 9006

148
textured
raggrinzato
RAL 7016

120
textured
raggrinzato
RAL 9005

TOP / PIANO

standard FENIX tops
piani standard in FENIX

0754
Blu
Fes

0791
Giallo
Evora

0751
Rosso
Jaipur

0750
Verde
Comodoro

0032
Bianco
Kos

0720
Nero
Ingo

STANDARDS AND CERTIFICATES / NORME E CERTIFICATI
Resistance to scratching EN 438-2:2019 - CL.25 Class ≥ 4 • Resistance to staining EN 438-2:2019 - CL.26 Group 1 e 2: Class 5 Group 3: Class ≥ 4 • Resistance to dry heat (160°C/20') - EN 438-2:2019 – CL.16 Class 5 • Lightfastness (xenon arc) EN 438-2:2019 – CL.27 Grayscale classification ≥ 4 • Resistance to steam EN 438-2:2019 – CL.14 Class 5 • Specular surface reflection ISO 2813 8 ÷ 16 a 85° Unità Gloss • Resistance to surface wear EN 438-2:2019 – CL.10 Rotation value IP ≥ 200 • Resistance to damp heat (100°C/20') – EN 438-2:2019 – CL.18 Class 5

REV052025

MARA SRL | Via Adua 11, 25050 Passirano (BS) Italy | T. +39 030 6857568 | marasrl.it

250 CONE
250CONE, 250CONEL

TOP / PIANO

standard colour and material effect laminate tops
piani standard in laminato colore ed effetto materico



white bianco | **magnolia** | **light grey** grigio chiaro | **anthracite** antracite | **black** nero



whitened oak rovere sbiancato | **natural oak** rovere naturale | **grey oak** rovere grigio | **black oak** rovere nero | **walnut** noce



white marble * marmo bianco | **grey marble *** marmo grigio | **graphite marble** marmo grafite | **black marble** marmo nero



rose * rose | **yellow *** giallo | **light blue *** azzurro | **green *** verde

*** finishes available only for Ø 1200 mm tops**
* finiture disponibili solo per piani Ø 1200 mm

STANDARDS AND CERTIFICATES / NORME E CERTIFICATI
Dimensional tolerance related to the thickness ± 0,3 mm • Dimensional tolerance related to the sizes ± 5,0 mm • Resistance to scratching EN 438-2:2016 Class 3 • Resistance to staining EN 438-2:2016 Group 1 e 2: Class ≥ 4 Group 3: Class ≥ 4 • Resistance to dry heat (160°C/20') - EN 438-2 Class 4 • Lightfastness (xenon arc) EN 438-2 Grayscale classification ≥ 4

• Resistance to steam EN 438-2 Class 4 • Resistance to surface wear EN 438-2 Rotation value IP ≥ 150 • Resistance to damp heat (100°C/20') – EN 438-2 Class 4

standard colour and wood melamine tops
piani standard in nobilitato colore e legno



white bianco | **magnolia** | **light grey** grigio chiaro | **anthracite** antracite | **black** nero



whitened oak rovere sbiancato | **natural oak** rovere naturale | **grey oak** rovere grigio | **black oak** rovere nero | **walnut** noce

STANDARDS AND CERTIFICATES / NORME E CERTIFICATI
Dimensional tolerance related to the sizes ± 5,0 mm • Resistance to scratching 1,5 N • Resistance to cigarette burning 3 grade - moderate change in gloss level and/or moderate brown spots • Resistance to surface wear Rotation value IP < 50 Rotation value WR < 150 • Risk of breakage ≥ 3 group • Dimensional tolerance related to the thickness 15 ≤ X ≤ 20 mm : ± 0,3 mm X < 20 mm : ± 0,5 mm • Resistance to staining ≥ 3 group

• Resistance to steam 4 grade - moderate change in gloss level and/or color • Surface imperfections Prolate imperfections: < 20 mm/m Punctiform imperfections: < 2 mm2/m2 • Lightfastness (xenon arc) > 6 group

REV052025

MARA SRL | Via Adua 11, 25050 Passirano (BS) Italy | T. +39 030 6857568 | marasrl.it

250 CONE
250CONE, 250CONEL

CLEANING AND MAINTENANCE / PULIZIA E MANUTENZIONE

STEEL / ACCIAIO

en **Our types of metals include: chromed metals and painted metals. Do not use acid or alkaline based cleaning products. Do not use detergents, steel wool, dishwashing detergents or the like. Sharp or pointed objects may damage the surface. Any hot or wet object may cause surface damage. Clean the surface regularly with a soft cloth to remove dust. To remove light dirt, use a soft cloth and a neutral household cleaner.**

it Le nostre tipologie di metallo comprendono: metalli cromati e metalli verniciati. Non utilizzare prodotti per la pulizia a base acida o alcalina. Non utilizzare detergenti, lana di acciaio, detersivi per stoviglie o simili. Oggetti appuntiti o taglienti possono danneggiare la superficie. Qualsiasi oggetto caldo o bagnato potrebbe provocare danni alla superficie. Pulire la superficie regolarmente con un panno sofficie per rimuovere la polvere. Per rimuovere lo sporco leggero utilizzare un panno sofficie e un prodotto per le pulizie di casa neutro.

LAMINATE AND MELAMINE / LAMINATI E NOBILITATI

en **Laminates and melamine products guarantee high performance in terms of resistance to scratches, shocks and abrasions. Keep furniture away from direct sunlight; furniture in direct sunlight may tend to discolour over time. Do not use acid or alkaline based cleaning products. Sharp or pointed objects can damage the surface. Laminate and melanine furniture can be cleaned using a mixture of liquid soap and hot water. Rinse with cold water and dry with a paper towel or damp cloth.**

it Laminati e nobilitati garantiscono alte prestazioni di resistenza ai graffi, agli urti e alle abrasioni. Mantenere i mobili lontani dalla luce diretta del sole; i mobili che si trovano alla luce diretta del sole potrebbero tendere a scolorire nel tempo. Non utilizzare prodotti per la pulizia a base acida o alcalina. Oggetti appuntiti o taglienti possono danneggiare la superficie. E' possibile effettuare la pulizia dei mobili in laminato e nobilitato usando una miscela di sapone liquido e acqua calda. Sciacquare con acqua fredda e asciugare con un tavogliolo di carta o un panno umido.

STANDARD FENIX TOPS / PIANI STANDARD IN FENIX

en **Cleaning FENIX means cleaning its structure. You can do this with warm water. As FENIX is a strong material, you can also use any household cleaner – even solvents like acetone * if needed. However, to avoid damaging the structure, don't scrub it with abrasive cream, a scouring pad or a hard brush; in the long-term, this might lead to a glossy spot on your matt surface. Instead, you can use a melamine sponge – also known as a magic sponge.**
As a final step, to avoid anything staying behind in the structure – whether that's dirt or residue from your cleaner – always rinse afterward with warm water and wipe dry with a clean cloth.
*** always follow safety instructions**

it Pulire FENIX significa pulirne la struttura. Si può farlo, usando acqua tiepida. Poiché FENIX è un materiale resistente, si può utilizzare qualsiasi detergente per la casa, se necessario anche un solvente come l'acetone *. Tuttavia, per evitare di danneggiare la struttura, è consigliabile evitare di strofinarla usando una crema abrasiva, una spugna abrasiva o una spazzola con setole dure; nel tempo, ciò potrebbe portare alla formazione di un'area lucida sulla superficie opaca. Si può piuttosto utilizzare una spugna in melamina, nota anche come spugna magica.
Come ultimo passaggio, per evitare la formazione di depositi nella struttura, che si tratti di sporco o residui del detergente, risciacquare sempre con acqua tiepida e asciugare con un panno pulito.
* seguire sempre le istruzioni di sicurezza.

REV052025

MARA SRL | Via Adua 11, 25050 Passirano (BS) Italy | T. +39 030 6857568 | marasrl.it

TOP ACCESS WITH INTEGRATED MULTIFUNCTIONAL SOCKET
PASSACAVI CON MULTIPRESA INTEGRATA

PASD60


DESCRIPTION / DESCRIZIONE

en **Top access round with integrated multifunctional socket for table tops, available in white or black colours, diameter 60 mm with 1,5 mt. power cable + 1 DE + 1 USB 5V/2, 4A socket.**


it Presa multifunzione rotonda per piani tavoli, disponibile nei colori bianco o nero, diametro 60 mm con 1,5 mt. di cavo di alimentazione + 1 presa DE + 1 presa USB 5V/2, 4A.




Optional (on demand)*:
Opzionali (su richiesta)*:




*** dedicated quotation** / quotazione dedicata





Surface cut-out area
Area di taglio della superficie



All measurements are indicated in mm
Tutte le misure sono indicate in mm

COLOURS AVAILABLE / COLORI DISPONIBILI



white bianco
black nero



REV052025

MARA SRL | Via Adua 11, 25050 Passirano (BS) Italy | T. +39 030 6857568 | marasrl.it

CABLE MANAGEMENT WITH INTEGRATED MULTISOCKET
PASSACAVO CON MULTIPRESA INTEGRATA

PASD80

DESCRIPTION / DESCRIZIONE

en **Top access round with integrated multifunctional socket for table tops, available in white or black colours, diameter 80 mm with 2 mt. power cable + 1 DE + 2 USB 5V/2, 4A socket + 1 RJ45 (interchangeable). The inside of the cover is equipped with a wireless charger (usable only when open).**

it Presa multifunzione rotonda per piani tavoli, disponibile nei colori bianco o nero, diametro 80 mm con 2 mt. di cavo di alimentazione + 1 presa DE + 2 prese USB 5V/2, 4A + 1 presa RJ45 (intercambiabile). L'interno del coperchio è provvisto di caricatore wireless (utilizzabile solo quando aperto).


wireless recharge | **RJ45** | **DE** | **USB** | **1**


Optional (on demand)*:
Opzionali (su richiesta)*:

HDMI | **EXIT**


GB | **IT** | **FRA**

*** dedicated quotation and minimum order**
* quotazione dedicata e minimo d'ordine





Surface cut-out area
Area di taglio della superficie



All measurements are indicated in mm
Tutte le misure sono indicate in mm

COLOURS AVAILABLE / COLORI DISPONIBILI

white bianco

black nero



MARA SRL | Via Adua 11, 25050 Passirano (BS) Italy | T. +39 030 6857568 | marasrl.it

REV052025

TOP ACCESS
PASSACAVI


511PLUS

DESCRIPTION / DESCRIZIONE

en **Aluminium top access with flap. Black brush.**


it Passacavi in alluminio con spazzola nera.

1



All measurements are indicated in mm
Tutte le misure sono indicate in mm

Surface cut-out area
Area di taglio della superficie



COLOURS AVAILABLE / COLORI DISPONIBILI

aluminium
alluminio

black
nero



MARA SRL | Via Adua 11, 25050 Passirano (BS) Italy | T. +39 030 6857568 | marasrl.it

REV052025

TOP ACCESS WITH INTEGRATED POWER UNIT
PASSACAVI CON MULTIPRESA INTEGRATA

511EPLUS

DESCRIPTION / DESCRIZIONE

en **Top access with integrated power unit for table tops max 30 mm thick, available in aluminium or black colour, 289x120 mm with 2 mt. power cable + 2 DE sockets + 2 USB 5V/2, 4A + 2 RJ45 sockets.**


it Passacavo con multipresa integrata per piani tavoli spessore max 30 mm, disponibile nei colori alluminio o nero, 289x120 mm con 2 mt. di cavo di alimentazione + 2 presa DE + 2 prese USB 5V/2, 4A + 2 prese RJ45.


RJ45 **DE** **USB** **1**

Optional (on demand)*:
Opzionali (su richiesta)*:

HDMI **IT** **FRA**


*** dedicated quotation** / quotazione dedicata





Surface cut-out area

Area di taglio della superficie



All measurements are indicated in mm
Tutte le misure sono indicate in mm

COLOURS AVAILABLE / COLORI DISPONIBILI

aluminium alluminio

black nero



MARA SRL | Via Adua 11, 25050 Passirano (BS) Italy | T. +39 030 6857568 | marasrl.it

REV052025

mara®



en **All the energy used in our company is 100% green and comes exclusively from renewable sources.**

it Tutta l'energia utilizzata nella nostra azienda è 100% GREEN e proviene esclusivamente da fonti rinnovabili.

en **As it is always seeking to improve its products, the company reserves the right to modify or upgrade the products without prior notice, at any time. Colors should be considered purely indicative.**
Mara's Collections are worldwide protected by the industrial property right and patents.

it Mara, sempre alla ricerca del miglioramento dei propri prodotti, si riserva la facoltà di apportare modifiche costruttive e funzionali in qualsiasi momento senza alcun preavviso.
I colori dei materiali sono da ritenersi puramente indicativi.
Tutte le collezioni Mara sono protette nel mondo dal diritto di proprietà industriale e da brevetti registrati.

REV052025

MARA SRL | Via Adua 11, 25050 Passirano (BS) Italy | T. +39 030 6857568 | marasrl.it