
Blanket

Original lamp form resembles weaved fabric, but magnified to gigantic scale. Fabric's "warp" is made of bent aluminium tubes, and "weft" is made from thick, foam enhanced wool.

It's oversized structure was chosen specifically to divide space optically and acoustically. Areas divided by the lamp are not closed off completely, space can be sensibly manipulated, giving more privacy where it's needed.

Metal used for construction can be completely recycled. The fitting comes preassembled, despite its large size, it is flat, which makes it easy to stack during transport. The packaging is made of cardboard, and can be completely recycled.



Blanket

must have

EN The lamp resembles fabric in texture but it has been enlarged to a giant scale. The "warp" is made of folded aluminum tubes and the "weft" is made of thick wool fortified with foam. This over-scaled lighting design has been specially chosen to allow for the division of optical and acoustic space. At the same time, it does not close the space completely, because it is openwork. When dimmed, it can be used to provide mood lighting in spaces for relaxing.

DE Die Lampe erinnert in ihrer Struktur an Gewebe, jedoch in einen gigantischem Maßstab vergrößert. Der „Kettfaden" des Gewebes besteht aus gebogenen Aluminiumrohren und der „Schuss" aus dicker, mit Schaumstoff angereicherter Wolle. Diese maßstabsgetreue Beleuchtungsstruktur wurde gezielt gewählt, um eine optische und akustische Teilung des Raumes zu ermöglichen. Gleichzeitig verschließt sie ihn nicht vollständig, da sie durchbrochen ist. Gedimmt kann sie als Stimmungslicht in Chill Out-Zonen eingesetzt werden.

Example

Blanket	standard power	3000 K	no frame	no textil
5104 – 02	– 2	– 8	– 3	– 11 – 00 – 2 – 00
	size M	DALI	luminaire Beige Red RAL 3012	pendant

Quickinfo


	M ■ 02	XL ■ 04
luminaire size	M 590×590	XL 1195×590
system power	↓12.5 W – 10 × ↓1 W	↓25 W – 20 × ↓1 W
luminous flux	↓950 lm	↓1900 lm
UGR	< 19	< 19

Technical information

IP20 | >90 CRI | SDCM 3 | ~230V

light distribution – down	30°	
luminous efficiency	76 lm/W	
electrical control	ON / OFF	▲ 9
	DALI	▲ 8
color temperature	3000 K	● 3
	5000 K	● 5
luminaire color	RAL 3012 Beige Red	⬟ 11
	RAL 7015 Slate Grey	⬟ 20
	RAL 7046 Telegrey 2	⬟ 21
	RAL 9001 Cream	⬟ 22
	RAL 1002 Sand Yellow	⬟ 23
	RAL 8004 Copper Brown	⬟ 24


RAL colors




* Original product colors may vary from those illustrated.

Create my unique code!

5104 – ■ – 2 – ▲ – ● – ⬟ – 00 – 2 – 00





Guidelines for cleaning and maintenance of materials used in flexxica luminaires.

To maintain the beautiful color and appearance of flexxica lighting fittings, we recommend gentle vacuuming with a soft tip, preferably weekly.

Stain removal – the golden rule
Remove the stain as soon as possible. Most stains can be removed with lukewarm water, possibly with the addition of a neutral detergent.

Merino wool felt
Wool is antistatic and does not attract dirt like other fabrics. Wool is also water-repellent, so the liquids slowly penetrate the fabric.
Cleaning: First, soak up as much liquid as possible with a white kitchen towel or cloth. If the stain has dried, remove as much as possible with a vacuum cleaner. Wipe carefully with a clean white cloth.

Upholstered material
Upholstery in flexxica luminaires is highly versatile and durable. The material is antistatic and fireproof, so stains are easily removed.
Cleaning: Do not wet the entire lampshade. Always use a clean white cotton cloth and only use small amounts of cleaning agent at a time.

EcoPET material
The ecoPET is made of 60% recycled PET bottles. It is straightforward to maintain, and stains can be removed easily and hassle-free.
Cleaning: Never rub hard to remove a stain. Always use a clean white cotton cloth with a bit of detergent.

Glass luminaires
Boya is made in a traditional blown-glass technology, therefore it requires special and delicate cleaning care.
Cleaning: Use a soft, lint-free microfiber or cotton cloth with distilled water (optimal) or mild glass cleaner or a solution of equal parts water and white vinegar. Wipe carefully with a clean white cloth.

WARNING!
Benzene, acetone, and similar solvent-based products may discolor the materials of the flexxica luminaires. Before use, apply a small amount of the product to an inconspicuous spot to ensure it doesn't cause any damage or discoloration.

flexxica
ul. Szyszkowa 43
02–285 Warsaw
Poland / European Union

+48 723 06 30 30
hello@flexxica.com
flexxica.com

PHOTOGRAPHY
Dominika Rutkowska
Ernest Wińczyk
Fotomohito
Patryk Lewiński
PION Studio
Szymon Polański

Copyright 2024 flexxica®

Graphic Design: emenem.pl
Paper: Arctic Volume White 115 g
Cover: Color STYLE Recycling 270 g
Typeface: Gordita
Printed in Poland

The flexxica® logo is a national and international registered trademark, held and owned exclusively by PL sp. z o.o.
It cannot be reproduced or used, for commercial or other purposes, without the prior written permission of flexxica.
This catalog cancels and replaces all previous editions.
Flexxica has ensured that the information contained in this catalog is as accurate as possible; however, it declines all responsibility for any printing errors. Flexxica reserves the right to make modifications and improvements of a technical or aesthetic nature to the products at any time without notice.
The reproduction (even partial) of this catalog, for any reason and with any means, is prohibited without the prior written permission of flexxica.

Please note that the actual appearance of flexxica's felt and fabric lighting fixtures may vary from the images shown in the catalog. This is because each type of felt and fabric possesses its own distinct characteristics. This is not a disadvantage of the luminaire but an advantage – each product is unique and unrepeatable.

Keep in mind that the colors of PET, felts, and fabric may differ slightly from what you see in the catalog. For the most accurate representation, we recommend referring to our sample book.

Due to the production process of both felt and PET, there may be slight variations in material between different production batches. Additionally, please take into consideration that PET boards have distinct left and right sides, along with a specific fiber arrangement. This is particularly important to consider when installing larger structures, such as wall-mounted panels.