Jungle

GERMAN DESIGN AWARD GOLD 2022







Jungle

GERMAN DESIGN AWARD GOLD 2022

EN This decorative lamp invites more nature into the interior, which is the primary goal of the biophilic design trend. It can be used both as a lamp and a plant pot. The simple form of the luminous vessel provides the perfect background to emphasise the beauty of the plant. The lamp emits a soft, silky-smooth light that creates a relaxing ambiance, perfect for such areas as chill-out zones. The luminaire is suspended on two bands of fabric, available in a wide range of colors. The rotomoulded lampshade makes the lamp completely waterproof.

The Jungle lamp was awarded with Gold at the German Design Award 2022.

DE Dekorative Lampe, die einen Hauch von freier Natur in den Raum bringt, was das Hauptziel des Biophilic Design-Trends ist. Lampe und Blumentopf in einem. Die schlichte Form des leuchtenden Gefäßes ist ein perfekter Hintergrund, der die Pracht der Pflanze betont. Die Lampe strahlt ein weiches, seidenweiches Licht aus, das eine entspannende Atmosphäre schafft – die ideale Lösung für Orte wie die Chill-out-Zone. Die Leuchte ist an zwei Stoffstreifen aufgehängt, die in verschiedenen Farben bestellbar sind. Der rotationsgeformte Schirm macht die Lampe rundum wasserdicht.

Die Jungle Leuchte wurde beim German Design Award 2022 mit Gold ausgezeichnet.

Example

Jungle	standard power	4000 K	no frame	grey stripes
5103 –	30 –	2 –	8 –	4 –	02 –	00 –	2 –	J2544
	bands 300 cm		DALI		luminaire white		pendant	

Quickinfo


	100 cm 150 cm 200 cm 250 cm 300 cm	■ 10 ■ 15 ■ 20 ■ 25 ■ 30
luminaire size	Ø400×400	
system power	↓38W	
luminous flux	↓3251lm	

Technical information

IP40 | >90 CRI | SDCM 3 | ~230V

light distribution – down	240°	
luminous efficiency	85lm/W	
electrical control	ON / OFF	▲ 9
	DALI	▲ 8
color temperature	3000K	● 3
	4000K	● 4
luminaire color	white	
fabric color	Dark Grey 2543	◆ J2543
	Grey 2544	◆ J2544
	Light Grey 2545	◆ J2545
	Beige 2532	◆ J2532
	Dark Blue 2554	◆ J2554

Stripes colors



2543 2544 2545 2532 2554


* Original product colors may vary from those illustrated.


Create my unique code!

5103 – ■ – 2 – ▲ – ● – 02 – 00 – 2 – ◆



PKO BP TRZOP ARCHITEKCI (press materials of PKO Bank Polski)





Guidelines for cleaning and maintenance of materials used in flexxica luminaires.

To maintain the beautiful color and appearance of flexxica lighting fittings, we recommend gentle vacuuming with a soft tip, preferably weekly.

Stain removal – the golden rule
Remove the stain as soon as possible. Most stains can be removed with lukewarm water, possibly with the addition of a neutral detergent.

Merino wool felt
Wool is antistatic and does not attract dirt like other fabrics. Wool is also water-repellent, so the liquids slowly penetrate the fabric.
Cleaning: First, soak up as much liquid as possible with a white kitchen towel or cloth. If the stain has dried, remove as much as possible with a vacuum cleaner. Wipe carefully with a clean white cloth.

Upholstered material
Upholstery in flexxica luminaires is highly versatile and durable. The material is antistatic and fireproof, so stains are easily removed.
Cleaning: Do not wet the entire lampshade. Always use a clean white cotton cloth and only use small amounts of cleaning agent at a time.

EcoPET material
The ecoPET is made of 60% recycled PET bottles. It is straightforward to maintain, and stains can be removed easily and hassle-free.
Cleaning: Never rub hard to remove a stain. Always use a clean white cotton cloth with a bit of detergent.

Glass luminaires
Boya is made in a traditional blown-glass technology, therefore it requires special and delicate cleaning care.
Cleaning: Use a soft, lint-free microfiber or cotton cloth with distilled water (optimal) or mild glass cleaner or a solution of equal parts water and white vinegar. Wipe carefully with a clean white cloth.

WARNING!
Benzene, acetone, and similar solvent-based products may discolor the materials of the flexxica luminaires. Before use, apply a small amount of the product to an inconspicuous spot to ensure it doesn't cause any damage or discoloration.

flexxica
ul. Szyszkowa 43
02–285 Warsaw
Poland / European Union

+48 723 06 30 30
hello@flexxica.com
flexxica.com

PHOTOGRAPHY
Dominika Rutkowska
Ernest Wińczyk
Fotomohito
Patryk Lewiński
PION Studio
Szymon Polański

Copyright 2024 flexxica®

Graphic Design: emenem.pl
Paper: Arctic Volume White 115 g
Cover: Color STYLE Recycling 270 g
Typeface: Gordita
Printed in Poland

The flexxica® logo is a national and international registered trademark, held and owned exclusively by PL sp. z o.o.
It cannot be reproduced or used, for commercial or other purposes, without the prior written permission of flexxica.
This catalog cancels and replaces all previous editions.
Flexxica has ensured that the information contained in this catalog is as accurate as possible; however, it declines all responsibility for any printing errors. Flexxica reserves the right to make modifications and improvements of a technical or aesthetic nature to the products at any time without notice.
The reproduction (even partial) of this catalog, for any reason and with any means, is prohibited without the prior written permission of flexxica.

Please note that the actual appearance of flexxica's felt and fabric lighting fixtures may vary from the images shown in the catalog. This is because each type of felt and fabric possesses its own distinct characteristics. This is not a disadvantage of the luminaire but an advantage – each product is unique and unrepeatable.

Keep in mind that the colors of PET, felts, and fabric may differ slightly from what you see in the catalog. For the most accurate representation, we recommend referring to our sample book.

Due to the production process of both felt and PET, there may be slight variations in material between different production batches. Additionally, please take into consideration that PET boards have distinct left and right sides, along with a specific fiber arrangement. This is particularly important to consider when installing larger structures, such as wall-mounted panels.